NEW YORK SMILE INSTITUTE AESTHETIC & IMPLANT DENTISTRY



POST-OPERATIVE DENTAL INSTRUCTIONS: FINAL VENEERS

I. INSTRUCTIONS:

- Make sure the "bite" is correct and you are not hitting too high on the treated area. All teeth should hit at ths same time. If you feel there needs to be an adjustment please make an appointment immediately!
- AVOID eating anything to hard or very cold on the treated area for about 5 days unless otherwise instructed.
- Experiencing slight Hot and Cold sensitivity is normal and should be expected.
- In case of bleeding, place gauze over bleeding area and close mouth to bring pressure to affected area. Let the gauze remain in place with the mouth closed for at least 20 minutes. In addition change cotton gauze EVERY 20 minutes.
- If you are going on any long vacations or trips longer than 3 weeks, please let the doctor know as soon as possible.
- Rinse your mouth thoroughly after meals and before going to bed with **Hydrogen Peroxide & Natural Dentist Rinse** mixed with a glass of warm water.
- Brush teeth as usual. When You Flossing go UP and THROUGH. DO NOT pull back Down.
- Use a proxybrush between the teeth if it has been prescribed

II. AVOID THESE FOODS FOR THE FIRST 2 WEEKS :

| Bagels | Popcorn | Taffy |
|----------|-------------|----------------|
| Ice | Nuts | Sticky Candies |
| Pretzels | Crusty Food | Chewing Gum |

III. Notes

Less than 2 % of all our veneers do sometimes chip or dislodge. Your tooth is protected always. Please call the office if you experience this problem. If a small chip occurs, usually it can be polished. There is no fee for this service. If a veneer dislodges in one piece and intact, it will be recemented. There is no fee for this service within a 24 month period. If a veneer or crown fractures or is broken it will need to be re-made. For a period of 18 months there will never be a fee for the doctors time. There may be laboratory fees if a veneer or crown has to be re-made.